ISSN: 3107-3883 (Online)

Global E-Journal of Social Scientific Research
Vol. 2| Issue 9| September 2026 | pp 27-34

CLIMATE CHANGE, ENVIRONMENTAL POLLUTION AND HUMAN HEALTH: SCIENTIFIC PATHWAYS TOWARDS A HEALTHIER AND MORE RESILIENT FUTURE

Author: Sandeep Kumar

Director, GCSDR

ABSTRACT

Climate change and environmental pollution have emerged as major challenges to human health, environmental sustainability and social wellbeing. Rising temperatures, deteriorating air quality, contaminated water and changing environmental conditions are increasing exposure to health risks across populations. These challenges are particularly significant for children, older adults, outdoor workers and economically disadvantaged communities. This article examines the relationship between environmental changes and human health through an interdisciplinary perspective integrating environmental science, climate science, public health and sociology. Based on secondary data, international health reports and scientific literature, the study analyses the health implications of air pollution, extreme heat, water contamination and long-term environmental exposure. It also examines how socioeconomic conditions influence vulnerability and access to protection. The article argues that environmental health risks are not distributed equally and that effective responses require both scientific interventions and social policy measures. It proposes sustainable environmental management, clean energy, improved water infrastructure, early-warning systems and community participation as important pathways towards healthier and more resilient communities.

Keywords: Climate Change, Environmental Pollution, Human Health, Air Pollution, Public Health, Water Contamination, Environmental Sustainability, Social Vulnerability, Climate Resilience.

1. INTRODUCTION

Environmental quality is fundamental to human health and sustainable development. However, increasing industrialisation, urbanisation, deforestation, fossil-fuel consumption and unsustainable patterns of resource use have contributed to environmental degradation and climate-related risks. These changes affect not only ecosystems but also the physical, psychological and social wellbeing of human populations.

Climate change is increasingly recognised as a public health concern. Rising temperatures, extreme weather events, changing rainfall patterns and deteriorating environmental conditions influence disease transmission, food security, water availability and human living conditions. Similarly, air pollution and contaminated water create direct and indirect health risks.

DOI: https://doi.org/10.64706/kfd11x08

ISSN: 3107-3883 (Online)
Global E-Journal of Social Scientific Research
Vol. 2| Issue 9| September 2026 | pp 27-34

The World Health Organization estimates that ambient and household air pollution together are associated with approximately 6.7 million premature deaths annually. Air pollution is linked to respiratory diseases, cardiovascular disorders, lung cancer and other adverse health outcomes (WHO, 2022).

However, environmental health risks are not experienced equally. Individuals living in densely populated urban settlements, low-income neighbourhoods, industrial areas and regions with inadequate sanitation may face greater exposure and fewer opportunities for protection. Therefore, environmental health must be understood not only as a scientific and medical issue but also as a social development concern.

This article examines how climate change and environmental pollution influence human health and identifies science-based interventions for creating healthier and more resilient communities.

OBJECTIVES OF THE STUDY

1. To examine the relationship between climate change, environmental pollution and human health.
2. To analyse the health implications of air pollution, extreme temperatures and water contamination.
3. To understand the long-term consequences of environmental exposure.
4. To examine the role of socioeconomic conditions in environmental health vulnerability.
5. To identify sustainable scientific and policy interventions for healthier communities.

3. RESEARCH QUESTION

How do environmental changes influence human health, and what science-based interventions can create healthier and more resilient communities?

4. RESEARCH METHODOLOGY

The study adopts a descriptive and analytical research design based on secondary data and scientific literature. It draws upon publications from the World Health Organization, the Intergovernmental Panel on Climate Change, the United Nations Environment Programme and peer-reviewed environmental and public health research.

The analysis is organised around four major themes:

- Air pollution and respiratory and cardiovascular health.
- Climate change and heat-related health risks.

ISSN: 3107-3883 (Online)
Global E-Journal of Social Scientific Research
Vol. 2| Issue 9| September 2026 | pp 27-34

- Water contamination and environmental exposure.
- Sustainable interventions and community resilience.

The study does not involve primary field surveys, clinical investigations or newly generated environmental measurements. Its findings are based on the critical interpretation of existing scientific evidence.

5. ENVIRONMENTAL CHANGES AND HUMAN HEALTH

5.1 Air Pollution and Respiratory and Cardiovascular Diseases

Air pollution is among the most significant environmental threats to human health. Particulate matter, particularly PM2.5, nitrogen dioxide, ozone and other pollutants can enter the respiratory system and contribute to inflammation and damage.

Long-term exposure to polluted air is associated with asthma, chronic obstructive pulmonary disease, lung cancer, cardiovascular diseases and premature mortality. Fine particulate matter is particularly concerning because it can penetrate deep into the lungs and contribute to systemic health effects.

Urbanisation, industrial emissions, vehicular pollution, construction activities and the burning of solid fuels contribute to deteriorating air quality.

The social consequences are also significant. Outdoor workers, traffic personnel, street vendors, children and people living near industrial or high-traffic areas may experience greater exposure. People with limited economic resources may also have fewer opportunities to relocate, access protective equipment or obtain timely medical attention.

Therefore, air pollution requires coordinated action involving emission control, cleaner transport, renewable energy, improved urban planning and stronger public health monitoring.

5.2 Climate Change and Heat-Related Health Risks

Rising global temperatures are increasing the frequency and intensity of heat-related health hazards. Extreme heat can cause dehydration, heat exhaustion, heatstroke and cardiovascular stress. It can also worsen existing respiratory and cardiovascular conditions.

The Intergovernmental Panel on Climate Change (IPCC, 2022) identifies climate-related health risks as an important dimension of human vulnerability, particularly in populations exposed to extreme temperatures and inadequate infrastructure.

Heat-related risks are especially important for outdoor workers, agricultural labourers, construction workers, older adults, children and people with existing health vulnerabilities.

DOI: https://doi.org/10.64706/kfd11x08

ISSN: 3107-3883 (Online)
Global E-Journal of Social Scientific Research
Vol. 2| Issue 9| September 2026 | pp 27-34

In urban areas, the heat-island effect may intensify temperatures because of concrete surfaces, reduced vegetation, dense construction and limited green spaces.

Science-based interventions should include heat action plans, early-warning systems, public cooling facilities, urban tree cover, climate-responsive building design and occupational protection for outdoor workers.

5.3 Water Contamination and Public Health

Safe drinking water is essential for maintaining public health. However, industrial discharge, agricultural chemicals, inadequate sewage treatment, poor sanitation and groundwater contamination can expose communities to harmful substances and disease-causing microorganisms.

Contaminated water can contribute to diarrhoeal diseases and other infections. Long-term exposure to certain chemical contaminants, including arsenic and other toxic substances, may also cause serious health consequences.

The WHO identifies unsafe water, sanitation and hygiene as important contributors to preventable disease burdens.

Water contamination is not merely an environmental management problem. It is also connected with poverty, infrastructure, geographical inequality and unequal access to public services.

Effective interventions include regular water-quality testing, wastewater treatment, protection of groundwater resources, improved sanitation infrastructure and community-level monitoring.

5.4 Environmental Exposure and Long-Term Disease Risks

Human beings are exposed to environmental hazards through air, water, soil, food and occupational settings. Some exposures may produce immediate health effects, while others contribute to disease over extended periods.

Chemical pollutants, pesticides, heavy metals, industrial emissions and certain persistent environmental contaminants are associated with different forms of health risks.

Environmental exposure may also interact with age, nutrition, occupation, genetic susceptibility and existing medical conditions.

Children are particularly vulnerable because of their developmental stage, while occupational exposure may place agricultural workers, industrial labourers and sanitation workers at increased risk.

Environmental monitoring, workplace safety, exposure reduction and effective regulation are therefore essential for long-term disease prevention.

DOI: https://doi.org/10.64706/kfd11x08

ISSN: 3107-3883 (Online)
Global E-Journal of Social Scientific Research
Vol. 2| Issue 9| September 2026 | pp 27-34

6. SOCIOLOGICAL PERSPECTIVE: ENVIRONMENTAL INEQUALITY AND HEALTH VULNERABILITY

Environmental degradation does not affect all social groups equally. Its consequences are shaped by income, occupation, education, housing conditions, geographical location and access to healthcare.

Low-income communities may live closer to polluted industrial zones, congested roads or areas with inadequate sanitation. They may also have fewer resources to protect themselves from extreme heat, contaminated water and other environmental hazards.

This situation reflects the broader concept of environmental inequality, in which the exposure to environmental risks and the ability to respond to them are unevenly distributed.

From a sociological perspective, environmental health is closely connected with social justice. Communities that contribute relatively little to environmental degradation may nevertheless experience significant consequences.

The concept of environmental justice therefore emphasises fair protection from environmental hazards, meaningful public participation and equal access to environmental resources.

In India, these issues are particularly relevant to informal settlements, rural communities, agricultural workers, industrial labourers and populations dependent on vulnerable natural resources.

Environmental policy must consequently address both the scientific sources of pollution and the social conditions that increase vulnerability.

7. SCIENCE-BASED INTERVENTIONS FOR A HEALTHIER FUTURE

The relationship between environmental conditions and human health requires coordinated scientific, institutional and community-level interventions.

1. Clean energy transition: Greater use of renewable energy, improved energy efficiency and reduced dependence on polluting fuels can help lower emissions and improve air quality.

2. Air-quality monitoring: Expansion of monitoring networks, emission standards and public information systems can support timely action against pollution.

3. Climate-resilient urban planning: Green spaces, tree cover, heat-resistant infrastructure, improved public transport and climate-sensitive housing can reduce environmental risks.

4. Safe water and sanitation: Investment in water treatment, wastewater management, groundwater protection and regular testing can prevent water-related health hazards.

DOI: https://doi.org/10.64706/kfd11x08

ISSN: 3107-3883 (Online)
Global E-Journal of Social Scientific Research
Vol. 2| Issue 9| September 2026 | pp 27-34

5. Early-warning and public health systems: Heat alerts, environmental health surveillance and community preparedness can reduce exposure and support timely intervention.

6. Community participation: Local communities, educational institutions, civil society organisations and public health professionals should participate in environmental planning and awareness programmes.

7. Environmental education: Schools, universities and community organisations can strengthen public understanding of pollution prevention, climate adaptation, waste management and sustainable lifestyles.

These interventions should be supported by evidence-based policies, institutional accountability and long-term environmental monitoring.

8. DISCUSSION

The analysis demonstrates that environmental changes influence human health through multiple pathways. Air pollution affects respiratory and cardiovascular health; extreme temperatures create direct heat-related risks; contaminated water increases the possibility of infectious and chemical exposure; and long-term environmental hazards may contribute to chronic disease.

However, environmental health cannot be addressed through technological interventions alone. The effectiveness of scientific solutions depends on institutional capacity, public infrastructure, social awareness and the participation of affected communities.

The sociological perspective adds an important dimension to environmental research by demonstrating that exposure and vulnerability are influenced by social and economic conditions. A heat-warning system, for example, may provide useful information, but its benefits remain limited if outdoor workers cannot reduce working hours or access safe cooling facilities.

Similarly, water-quality monitoring cannot fully protect communities without affordable access to safe drinking water.

Therefore, environmental interventions must combine scientific evidence with social protection and equitable public services. A healthier future requires a shift from reactive pollution management towards preventive environmental governance.

9. CONCLUSION

Climate change and environmental pollution represent interconnected challenges to human health and sustainable development. Air pollution, extreme heat, water contamination and long-term environmental exposure contribute to a wide range of health risks.

DOI: https://doi.org/10.64706/kfd11x08

ISSN: 3107-3883 (Online)
Global E-Journal of Social Scientific Research
Vol. 2| Issue 9| September 2026 | pp 27-34

The study highlights that these risks are influenced not only by environmental conditions but also by social and economic inequalities. Vulnerable communities may experience greater exposure while having fewer resources to adapt and protect themselves.

Science-based interventions such as clean energy, environmental monitoring, safe water infrastructure, climate-resilient urban planning and early-warning systems are essential. However, their success depends on inclusive governance, community participation and equitable access to public health services.

The future of environmental health must therefore be guided by an integrated approach combining environmental science, public health, social justice and sustainable development. Protecting the environment is not simply a matter of conserving natural resources; it is an essential investment in human health, dignity and the wellbeing of future generations.

REFERENCES

1. Intergovernmental Panel on Climate Change. (2022). Climate change 2022: Impacts, adaptation and vulnerability. Cambridge University Press. https://doi.org/10.1017/9781009325844
2. Intergovernmental Panel on Climate Change. (2023). Climate change 2023: Synthesis report. IPCC. https://doi.org/10.59327/IPCC/AR6-9789291691647
3. Landrigan, P. J., Fuller, R., Acosta, N. J. R., et al. (2018). The Lancet Commission on pollution and health. The Lancet, 391(10119), 462–512. https://doi.org/10.1016/S0140-6736(17)32345-0
4. Marmot, M., Friel, S., Bell, R., Houweling, T. A. J., & Taylor, S. (2008). Closing the gap in a generation: Health equity through action on the social determinants of health. The Lancet, 372(9650), 1661–1669. https://doi.org/10.1016/S0140-6736(08)61690-6
5. Romanello, M., Di Napoli, C., Drummond, P., et al. (2023). The 2023 report of the Lancet Countdown on health and climate change: The imperative for a health-centred response in a world facing irreversible harms. The Lancet, 402(10419), 2346–2394. https://doi.org/10.1016/S0140-6736(23)01859-7
6. World Health Organization. (2021). WHO global air quality guidelines: Particulate matter (PM2.5 and PM10), ozone, nitrogen dioxide, sulfur dioxide and carbon monoxide. WHO.
7. World Health Organization. (2022). Ambient (outdoor) air pollution. WHO Fact Sheet.
8. World Health Organization. (2023). Climate change and health. WHO Fact Sheet.
9. World Health Organization. (2023). Drinking-water. WHO Fact Sheet.
10. World Health Organization. (2023). Heat and health. WHO Fact Sheet.
11. World Health Organization. (2016). Preventing disease through healthy environments: A global assessment of the burden of disease from environmental risks. WHO.

ISSN: 3107-3883 (Online)
Global E-Journal of Social Scientific Research
Vol. 2| Issue 9| September 2026 | pp 27-34

12. United Nations Environment Programme. (2021). Making peace with nature: A scientific blueprint to tackle the climate, biodiversity and pollution emergencies. UNEP.
13. Braveman, P., & Gottlieb, L. (2014). The social determinants of health: It's time to consider the causes of the causes. Public Health Reports, 129(Suppl. 2), 19–31. https://doi.org/10.1177/00333549141291S206
14. Krieger, N. (2001). Theories for social epidemiology in the 21st century: An ecosocial perspective. International Journal of Epidemiology, 30(4), 668–677. https://doi.org/10.1093/ije/30.4.668
15. United Nations. (2015). Transforming our world: The 2030 Agenda for Sustainable Development. United Nations.