Global E-Journal of Social Scientific Research
Vol. 2| Issue 8| 2026 | pp 1-20

CHANGING RAINFALL PATTERNS AND RURAL LIVELIHOODS IN INDIA: IMPLICATIONS FOR AGRICULTURE, CROP SELECTION AND COMMUNITY ADAPTATION

Dr. Neelam C. Dey
Global Center for Social Dynamic Research (GCSDR)

Abstract

Rainfall is one of the most important environmental determinants of agricultural production and rural livelihoods in India. Agriculture, particularly rain-fed agriculture, remains highly dependent not only on the total amount of rainfall received but also on its timing, distribution, intensity and duration of dry and wet spells. Changes in rainfall patterns can therefore influence crop selection, sowing and harvesting decisions, farm income, agricultural employment, water availability and household livelihood strategies. The present study examines the relationship between rainfall variability and rural livelihoods in India through secondary data analysis and a review of existing literature. The proposed empirical framework combines 15 years of rainfall data (2010–2024) from the India Meteorological Department with crop area, production and yield data from the Department of Agriculture and Farmers Welfare. The study focuses on five dimensions: rainfall variability, agricultural production, crop selection, household livelihood effects, and community adaptation. Existing evidence indicates that rainfall variability can have different effects across regions and crops and that the distribution of rainfall within the agricultural season may be as important as annual rainfall totals. The study further identifies crop diversification, changes in sowing dates, irrigation, rainwater harvesting, weather advisories, water management and livelihood diversification as important adaptation mechanisms. The paper argues that rainfall variability should be examined not only as an environmental or agricultural issue but also as a social and livelihood issue. A sociological understanding of climate-related agricultural vulnerability requires attention to landholding, access to irrigation, economic resources, institutional support, information, labour opportunities and community-level adaptation capacity. The study proposes an integrated framework connecting rainfall, agriculture, livelihood security and social adaptation.

Keywords: Rainfall variability, rural livelihoods, agriculture, crop selection, climate adaptation, farmers, India, rural sociology, livelihood diversification

1. Introduction

India's rural economy has historically been closely connected with agriculture, natural resources and seasonal rainfall. Although irrigation, mechanisation, improved seeds and technological development have transformed Indian agriculture, rainfall continues to play an important role in agricultural production, particularly in rain-fed areas.

The relationship between rainfall and agriculture is not determined simply by the quantity of rainfall received in a year. The timing of rainfall, its distribution during the crop-growing season, the occurrence

https://doi.org/10.64706/2dby8f35

of dry spells, intense rainfall events and the onset and withdrawal of the monsoon can influence agricultural decisions and outcomes.

The India Meteorological Department (IMD) identifies rainfall as an important component of agricultural and water-resource planning and provides historical rainfall information at national, state, subdivision and district levels.

The agricultural consequences of rainfall variability extend beyond crop production. When rainfall conditions affect sowing, crop growth or harvesting, households may experience changes in farm income, agricultural employment, food security and expenditure. In vulnerable rural communities, households may respond through crop diversification, livestock activities, wage labour, migration, borrowing, water conservation and other livelihood strategies.

Consequently, rainfall variability should be examined as a **social and economic phenomenon as well as an environmental phenomenon**.

This study therefore examines the relationship between changing rainfall patterns and rural livelihoods in India, with particular attention to agriculture, crop selection, income, seasonal employment, migration and community adaptation.

2. Background of the Study

India experiences substantial spatial and temporal variation in rainfall. The southwest monsoon is particularly important for agriculture, although rainfall requirements and seasonal patterns differ considerably across regions.

IMD's historical work demonstrates that rainfall trends and variability differ across meteorological subdivisions and districts rather than following one uniform national pattern. A major long-term study using data from 1901–2013 examined rainfall across 632 districts and 34 meteorological subdivisions and found substantial regional differences in rainfall trends.

More recent IMD information also illustrates the importance of variability rather than simply annual totals. In 2024, India's annual rainfall was reported at 104% of its 1971–2020 Long Period Average, while southwest monsoon rainfall was 108% of the LPA.

Such figures demonstrate why annual rainfall alone cannot adequately explain agricultural conditions. A year may have near-normal or above-normal rainfall nationally while individual regions experience deficient rainfall, excessive rainfall, floods or poorly distributed precipitation.

This distinction is particularly important for rural communities.

3. Statement of the Problem

Farmers make decisions under considerable uncertainty. Before and during a cropping season, decisions concerning crop selection, sowing, irrigation, fertiliser use and harvesting are influenced by expected

https://doi.org/10.64706/2dby8f35

weather and available resources.

Changes in rainfall patterns may create several challenges:

- delayed monsoon onset;
- early withdrawal of rainfall;
- prolonged dry spells;
- excessive rainfall over short periods;
- waterlogging;
- flooding;
- soil erosion;
- inadequate soil moisture;
- crop damage;
- reduced crop yield;
- changes in sowing and harvesting schedules.

These effects are not equally distributed among farmers.

A farmer with irrigation facilities, savings, crop insurance, access to agricultural information and alternative income sources may have greater capacity to manage rainfall-related risks than a smallholder dependent primarily on rain-fed agriculture.

Therefore, the social question is not merely:

“How is rainfall changing?”

It is also:

“Who is most affected by rainfall variability, why are they affected, and how do rural households respond?”

4. Research Questions

The study addresses the following research questions:

1. What changes and variations in rainfall patterns can be identified during the study period?
2. How are rainfall variations associated with agricultural production and crop performance?
3. What changes in crop selection and agricultural practices are associated with rainfall uncertainty?

https://doi.org/10.64706/2dby8f35

4. How can rainfall variability affect rural household income and agricultural employment?
5. What implications can rainfall variability have for seasonal migration and livelihood diversification?
6. What adaptation strategies are used by rural communities?
7. How do access to irrigation, information, technology and institutional support influence adaptive capacity

5. Objectives of the Study

The study has the following objectives:

1. To examine rainfall variability in selected regions of India.
2. To analyse the relationship between rainfall and agricultural production.
3. To examine changes in crop selection and cropping practices.
4. To assess the potential implications of rainfall variability for rural livelihoods.
5. To examine livelihood diversification and community adaptation.
6. To identify institutional and technological mechanisms that may strengthen rural resilience.
7. To develop a sociological framework for understanding rainfall, agriculture and rural livelihoods.

6. Hypotheses

For the quantitative component of the study, the following hypotheses may be tested:

H1

Rainfall variability is significantly associated with agricultural crop production.

H2

Greater intra-seasonal rainfall variability is associated with greater changes in crop selection.

H3

Rainfall deficiency is associated with lower agricultural employment opportunities in rain-dependent areas.

H4

Farmers with greater access to irrigation and institutional agricultural support demonstrate greater adaptive capacity.

https://doi.org/10.64706/2dby8f35

H5

Households exposed to repeated rainfall-related agricultural stress are more likely to diversify their livelihoods through non-farm employment, livestock activities or seasonal migration.

These hypotheses should be tested using the actual district/state-level dataset rather than being treated as established findings.

7. Conceptual Framework

The study proposes the following relationship:

Rainfall Pattern

↓

Water Availability

↓

Agricultural Decisions

- Crop selection
- Sowing
- Irrigation
- Input use

↓

Agricultural Outcomes

- Area cultivated
- Production
- Yield
- Crop loss

↓

Household Economic Outcomes

- Farm income
- Employment

https://doi.org/10.64706/2dby8f35

- Food security
- Debt/expenditure

↓

Livelihood Response

- Crop diversification
- Livestock
- Wage employment
- Migration
- Non-farm activities

↓

Community Adaptation

- Water harvesting
- Collective resource management
- Weather information
- Institutional support
- Climate-resilient agriculture

This framework places the farmer and rural household at the centre of the environmental-agricultural relationship.

8. Review of Literature

8.1 Rainfall and Agricultural Production

The relationship between rainfall and agricultural production has been documented in Indian agricultural and meteorological research.

An earlier study published in *MAUSAM* noted that a substantial share of cultivated land in India has historically been rain-fed and emphasised that the distribution of rainfall during the agricultural season can be more important than total seasonal rainfall in some regions.

Similarly, a study of Parbhani using 36 years of rainfall data found substantial weekly rainfall variability and significant positive relationships between rainfall and the yields of several crops, including soybean, pigeonpea, black gram, green gram and rice.

https://doi.org/10.64706/2dby8f35

These studies demonstrate that rainfall-production relationships can differ by crop and location.

8.2 Rainfall Distribution and Crop Planning

Crop planning requires attention to rainfall timing.

Research on the Jabalpur region, for example, analysed 31 years of daily rainfall data and examined weekly rainfall probabilities for crop planning.

This suggests that farmers' decisions may depend on questions such as:

- When will the monsoon begin?
- How long will rainfall continue?
- Are there sufficient intervals between rainfall events?
- Is there adequate soil moisture at sowing?
- Will rainfall occur during harvesting?

Thus, rainfall variability has implications for agricultural calendars.

8.3 Rainfall and Crop Productivity

Recent research continues to examine the rainfall-production relationship. A 2026 study of Tamil Nadu analysed 33 years of rainfall and crop data and reported relationships between rainfall and production for several crops, while also highlighting differences between seasons and crops.

This supports the importance of region-specific analysis rather than assuming that the same rainfall-production relationship applies throughout India.

8.4 Climate Variability and Rural Adaptation

The effects of rainfall variability extend beyond crop production.

ICAR's climate-resilient agriculture initiatives recognise climate variability and extreme events as important challenges for Indian agriculture and emphasise research, technology demonstrations and farmer capacity building.

The recently developed climate adaptation initiatives also place emphasis on local-level vulnerability and adaptation planning. ICAR and partners have developed climate adaptation atlases designed to support region- and crop-specific adaptation.

9. Methodology

9.1 Research Design

https://doi.org/10.64706/2dby8f35

The study adopts a **secondary-data-based mixed analytical design**, combining quantitative analysis of rainfall and agricultural data with qualitative interpretation of rural livelihood and adaptation literature.

The research is designed around a **15-year study period: 2010–2024**.

This period is sufficiently long to examine inter-annual variability while allowing the analysis to incorporate relatively recent agricultural and meteorological conditions.

9.2 Data Sources

Rainfall Data

Rainfall data will be obtained from the **India Meteorological Department (IMD)**.

IMD provides historical rainfall information at multiple geographical levels, including:

- state;
- meteorological subdivision;
- district;
- weekly;
- monthly;
- seasonal;
- annual levels.

Agricultural Data

Agricultural data will be obtained from the **Directorate of Economics and Statistics, Department of Agriculture and Farmers Welfare, Government of India**.

The official agricultural database provides area, production and yield information by:

- state;
- district;
- crop;
- season;
- year.

The Department also publishes *Agricultural Statistics at a Glance*, including recent editions.

Land-Use Data

https://doi.org/10.64706/2dby8f35

Land-use and irrigation information will be obtained from the Department of Agriculture and Farmers Welfare's land-use statistics. These datasets include information concerning irrigated area, crop area and other land-use categories.

Secondary Literature

Peer-reviewed studies, government reports, ICAR publications and relevant institutional reports will be reviewed to interpret livelihood and adaptation patterns.

10. Selection of Study Areas

A national-level analysis can be combined with a comparative regional analysis.

For the comparative component, the study proposes selecting states representing different rainfall and agricultural environments.

For example:

Region	State	Rationale
North	Punjab/Haryana	Irrigated cereal agriculture
Central	Madhya Pradesh	Mixed/rain-dependent agriculture
Western	Rajasthan	Semi-arid and water-stressed agriculture
Eastern	Bihar	Agriculture and monsoon dependence
Southern	Tamil Nadu	Distinct southwest/northeast monsoon influence

The final selection should be based on data completeness rather than convenience.

11. Variables

Independent Variables

Rainfall variables

- annual rainfall;
- monsoon rainfall;
- rainfall departure from normal;
- number of rainy days;
- dry-spell duration;

https://doi.org/10.64706/2dby8f35

- heavy-rainfall events;
- rainfall coefficient of variation.

Dependent Variables

Agricultural variables

- crop area;
- crop production;
- crop yield;
- crop diversification;
- crop intensity.

Livelihood variables

- agricultural employment;
- farm income;
- non-farm employment;
- migration;
- livelihood diversification.

Intervening Variables

- irrigation;
- landholding size;
- access to credit;
- agricultural extension;
- weather information;
- crop insurance;
- access to markets;
- government support.

12. Data Analysis

The quantitative analysis should use the following statistical procedures.

https://doi.org/10.64706/2dby8f35

12.1 Descriptive Statistics

Mean, minimum, maximum, standard deviation and coefficient of variation will be calculated for rainfall and crop variables.

12.2 Rainfall Departure

Rainfall departure can be calculated as:

Rainfall Departure (%) = [(Actual Rainfall − Normal Rainfall) / Normal Rainfall] × 100

This will allow classification of years according to rainfall conditions.

12.3 Trend Analysis

Time-series trends can be examined using:

- linear regression;
- Mann-Kendall trend test;
- Sen's slope estimator.

These methods have been used in Indian rainfall research, including large-scale district-level studies.

12.4 Correlation Analysis

Pearson or Spearman correlation can be used to examine relationships between:

- rainfall and crop area;
- rainfall and crop production;
- rainfall and yield.

12.5 Regression Analysis

A regression model may be specified as:

Crop Yield = β_0 + β_1 Rainfall + β_2 Rainfall Variability + β_3 Irrigation + β_4 Time + ε

A more comprehensive model can include crop-specific and regional controls.

13. Findings from Secondary Evidence

13.1 Rainfall Is a Variable Rather Than a Uniform Resource

The available evidence demonstrates that rainfall varies substantially across geographical areas and time

https://doi.org/10.64706/2dby8f35

periods. Therefore, national rainfall averages can conceal important district- and region-level differences.

IMD's rainfall systems specifically provide district-level weekly and cumulative rainfall departures, reinforcing the importance of geographically disaggregated analysis.

13.2 Timing and Distribution Matter

The agricultural significance of rainfall depends not only on total rainfall but also on when rainfall occurs.

Long dry spells during the crop-growing season can affect soil moisture even when seasonal rainfall totals appear relatively normal. Conversely, intense rainfall over a short period can produce runoff, waterlogging and crop damage.

IMD's agricultural research and advisories therefore emphasise weather information for farm-management decisions.

13.3 Rainfall Variability Can Influence Crop Decisions

When rainfall becomes uncertain, farmers may reconsider crop selection and sowing dates.

Possible responses include:

- shifting sowing dates;
- selecting shorter-duration crops;
- selecting drought-tolerant varieties;
- increasing crop diversification;
- changing the proportion of land allocated to crops;
- combining crops with livestock;
- using irrigation where available.

However, these responses depend heavily on the farmer's economic and institutional capacity.

14. Rainfall and Household Income

Agricultural households can experience income effects through several pathways.

Pathway 1

Rainfall deficiency → lower soil moisture → reduced yield → lower farm income

Pathway 2

Excess rainfall → waterlogging/flooding → crop damage → income loss

https://doi.org/10.64706/2dby8f35

Pathway 3

Rainfall uncertainty → production uncertainty → increased financial risk

Pathway 4

Repeated crop losses → livelihood diversification → wage labour/non-farm work

Thus, rainfall variability can affect rural households even when a particular crop does not completely fail.

15. Seasonal Employment and Migration

Agricultural employment is strongly seasonal in many rural communities.

When rainfall affects agricultural operations, the demand for labour can also change.

For example:

Delayed rainfall

→ delayed sowing

→ delayed agricultural labour demand

→ temporary reduction in farm employment.

Similarly:

Crop failure

→ reduced harvesting requirements

→ reduced agricultural employment

→ increased search for alternative income.

Migration should therefore be examined as one possible component of household livelihood adaptation rather than automatically assuming that rainfall variability causes migration.

Empirical research should distinguish between:

- seasonal migration;
- temporary migration;
- long-term migration;
- distress migration;
- voluntary employment migration.

https://doi.org/10.64706/2dby8f35

16. Community Adaptation Strategies

Rural communities are not passive recipients of environmental change. Farmers and communities develop different forms of adaptation.

16.1 Crop Diversification

Farmers may cultivate more than one crop to reduce dependence on a single rainfall-sensitive crop.

16.2 Irrigation

Access to irrigation can reduce dependence on immediate rainfall conditions, although irrigation itself depends on groundwater and other water resources.

16.3 Rainwater Harvesting

Farm ponds, check dams and other water-storage systems can increase the availability of water during dry periods.

ICAR documentation from semi-arid Rajasthan provides an example where rainwater harvesting and farm-level water management were introduced as part of climate-resilient livelihood interventions.

16.4 Weather Information

Timely forecasts can help farmers adjust sowing, irrigation, fertiliser application and harvesting.

IMD reports that weather information and agrometeorological advisories are being disseminated through village-level networks and that Panchayat-level forecasts are available through its weather-information systems.

16.5 Livelihood Diversification

Households may combine agriculture with:

- livestock;
- dairy;
- small business;
- wage labour;
- handicrafts;
- services;
- seasonal migration.

This reduces dependence on a single source of income.

https://doi.org/10.64706/2dby8f35

17. Social Inequality and Adaptive Capacity

One of the most important sociological dimensions of rainfall variability is **unequal adaptive capacity**.

Two farmers exposed to the same rainfall event may experience very different consequences.

Factor	Higher adaptive capacity	Lower adaptive capacity
Irrigation	Reliable irrigation	Rain-dependent
Savings	Financial buffer	Limited savings
Land	Larger holding	Small/marginal holding
Information	Timely weather information	Limited access
Technology	Access to improved practices	Limited access
Credit	Institutional credit	Informal/high-cost borrowing
Income	Multiple income sources	Agriculture dependent
Market	Better market access	Limited market access

This demonstrates that environmental vulnerability is partly socially constructed through unequal access to resources.

18. Role of Institutions

Institutional support is important for strengthening rural adaptation.

Important institutional mechanisms include:

- agricultural extension;
- weather advisories;
- irrigation infrastructure;
- crop insurance;
- credit;
- agricultural research;
- farmer producer organisations;

https://doi.org/10.64706/2dby8f35

- self-help groups;
- local government;
- rural development programmes.

Recent ICAR initiatives increasingly emphasise localised climate adaptation, crop-specific vulnerability and data-driven agricultural planning.

19. Sociological Interpretation

From a sociological perspective, rainfall is not simply a meteorological variable.

Its social significance emerges through the relationship between:

Nature + Agriculture + Institutions + Economy + Community

Rainfall affects agriculture, but agricultural outcomes depend on land, irrigation, technology, markets, labour and institutions.

Similarly, crop failure does not necessarily result in the same livelihood outcome for every household.

A household with diversified income may absorb a crop loss more easily than a household whose entire livelihood depends on a single rain-fed crop.

Thus:

Environmental exposure + social vulnerability = livelihood risk

This is an important distinction for rural sociology and environmental sociology.

20. Discussion

The study demonstrates the need to move beyond a simple rainfall-production relationship.

The more important question is how rainfall variability interacts with rural social structures.

Three dimensions are particularly important.

First: Exposure

How much rainfall variability does a community experience?

Second: Sensitivity

How dependent is the community on rainfall-sensitive agriculture?

Third: Adaptive Capacity

What resources are available to respond?

https://doi.org/10.64706/2dby8f35

This can be represented as:

Livelihood Vulnerability = Exposure + Sensitivity − Adaptive Capacity

The framework highlights why the same environmental event can have different consequences across communities.

21. Proposed Rural Climate-Livelihood Resilience Framework

The study proposes a seven-component framework:

1. Rainfall Monitoring

District-level monitoring of rainfall quantity, distribution and extreme events.

2. Crop Planning

Development of location-specific crop calendars based on rainfall patterns.

3. Water Security

Promotion of rainwater harvesting, efficient irrigation and groundwater management.

4. Crop Diversification

Encouraging suitable combinations of food crops, pulses, oilseeds, horticulture and livestock where locally appropriate.

5. Information Access

Strengthening timely weather and agricultural advisories.

6. Livelihood Diversification

Supporting non-farm employment, livestock, small enterprises and other complementary income sources.

7. Community Institutions

Strengthening FPOs, SHGs, Panchayats, cooperatives and local knowledge systems.

22. Policy Implications

The study suggests several policy directions.

22.1 Move from State-Level to Local-Level Planning

Rainfall and agricultural adaptation should increasingly be planned at district, block and Panchayat levels because rainfall and agricultural vulnerability vary considerably within states.

22.2 Strengthen Weather-Based Agricultural Advisories

https://doi.org/10.64706/2dby8f35

Weather forecasts should be converted into simple, actionable agricultural information.

22.3 Improve Water Security

Rainwater harvesting and efficient water management should be integrated into agricultural planning.

22.4 Promote Crop Diversification

Farmers should have access to information about locally appropriate crop alternatives rather than depending excessively on a limited number of crops.

22.5 Strengthen Rural Livelihood Diversification

Climate adaptation should include non-agricultural livelihood opportunities.

22.6 Strengthen Farmer Knowledge

Local knowledge should be combined with scientific weather information and agricultural research.

23. Limitations of the Study

The study has several limitations.

First, it relies primarily on secondary data and therefore cannot directly measure individual farmers' perceptions.

Second, rainfall-production relationships may differ substantially between districts and crops.

Third, agricultural production is affected by factors other than rainfall, including temperature, irrigation, fertiliser use, seed varieties, market conditions, government policies, pests and diseases.

Fourth, migration and household income cannot be reliably attributed to rainfall variability without household-level longitudinal data.

Finally, national averages may conceal substantial local variation.

24. Future Research

Future research should combine secondary data with primary field research.

A proposed field study could include:

- 500–1,000 farming households;
- multiple agro-climatic regions;
- small, marginal and larger farmers;
- rain-fed and irrigated farms;

https://doi.org/10.64706/2dby8f35

- male and female farmers;
- different age groups.

A structured questionnaire could examine:

1. rainfall experiences;
2. crop changes;
3. income changes;
4. employment;
5. migration;
6. irrigation;
7. water conservation;
8. weather-information use;
9. crop insurance;
10. adaptation strategies.

Focus-group discussions could additionally explore community perceptions of environmental change and traditional adaptation practices.

25. Conclusion

Rainfall variability is both an environmental and social phenomenon. Its effects extend beyond agricultural production to household income, employment, food security, livelihood diversification and community adaptation.

The evidence reviewed in this study indicates that rainfall quantity, timing and distribution can influence agricultural outcomes, but the consequences depend strongly on local agricultural systems and household adaptive capacity. Existing Indian research demonstrates substantial regional variation in rainfall and crop responses, reinforcing the need for location-specific analysis.

The central argument of this study is that rural vulnerability to rainfall variability cannot be understood through rainfall data alone. Landholding, irrigation, financial resources, information, institutional support, market access and alternative employment opportunities influence how households experience and respond to environmental uncertainty.

Consequently, climate adaptation policy should connect meteorological information with agricultural

https://doi.org/10.64706/2dby8f35

planning and rural livelihood development.

A resilient rural community is not simply one that receives sufficient rainfall. It is one that has the **knowledge, resources, institutions, water systems, agricultural choices and livelihood alternatives necessary to manage rainfall uncertainty**.

References

1. Agrawal, K. K., & Singh, P. K. (2012). Characteristics of rainfall pattern for crop planning at Jabalpur region (Madhya Pradesh) of India. *MAUSAM, 63*(4). https://doi.org/10.54302/mausam.v63i4.418
2. Department of Agriculture & Farmers Welfare, Government of India. (2024). *Agricultural Statistics at a Glance 2024*. Ministry of Agriculture & Farmers Welfare.
3. Department of Agriculture & Farmers Welfare, Government of India. *Area, Production & Yield Database*. Directorate of Economics and Statistics.
4. India Meteorological Department. (2024). *Rainfall Statistics of India 2024*. Ministry of Earth Sciences, Government of India.
5. India Meteorological Department. (2024). *Annual Report 2024*. Ministry of Earth Sciences, Government of India.
6. Dakhore, K. K., Kadam, Y. E., & Kumar, P. V. (2020). Study the rainfall variability and impact of El Nino episode on rainfall and crop productivity at Parbhani. *MAUSAM, 71*(2). https://doi.org/10.54302/mausam.v71i2.26
7. Kaur, S., Diwakar, S. K., & Das, A. K. (2017). Long term rainfall trend over meteorological sub divisions and districts of India. *MAUSAM, 68*(3). https://doi.org/10.54302/mausam.v68i3.676
8. Narain, P., Bhargava, P. N., & Saksena, A. (1984). A statistical study on incidence of drought in relation to agricultural production. *MAUSAM, 35*(3). https://doi.org/10.54302/mausam.v35i3.2220
9. Singh, K. K., & Kalra, N. (2016). Simulating impact of climatic variability and extreme climatic events on crop production. *MAUSAM, 67*(1). https://doi.org/10.54302/mausam.v67i1.1153
10. Thirumala Lakshmi, K. (2026). Rainfall trends and their influence on crop production in Tamil Nadu, India – A 33-year analysis. *MAUSAM, 77*(2), 579–590. https://doi.org/10.54302/mausam.v77i2.6830
11. Indian Council of Agricultural Research. (2025). *Atlas of Climate Adaptation in South Asian Agriculture: Climate Adaptation and Resilient Agriculture Initiatives*.

12. Indian Council of Agricultural Research. (2026). *Climate Adaptation Atlas for Madhya Pradesh Agriculture*. Ministry of Agriculture & Farmers Welfare, Government of India.

https://doi.org/10.64706/2dby8f35